	1	1. A search and navigation system for a set of materials, comprising:
	2	a plurality of attributes characterizing the materials;
	3	a plurality of values describing the materials, wherein each of the values
	4	has an association with at least one of the attributes and each association defines an
	5	attribute-value pair;
	6	a plurality of navigation states, wherein each navigation state corresponds
	7	to a particular expression of attribute-value pairs and to a particular subset of the
Graff Graff	8	materials; and
	9	a search interface, the search interface including a free-text search tool for
	10	accepting free-text queries, the search interface being adapted to generate multi-term
) 1 1	11	interpretations of free-text queries, a multi-term interpretation including a conjunction of
	12	attribute-value pairs that corresponds to a navigation state, the search interface providing a
: :&	13	display of a set of search results for a query, the set of search results including multi-term
# # # # # # # # # # # # # # # # # # #	14	interpretations.
14	15	2. The search and navigation system of claim 1, wherein the multi-term
	16	interpretations of the free-text query are minimal.
	17	3. The search and navigation system of claim 1, wherein the search interface
	18	supports conjunctive query semantics.
	19	4. The search and navigation system of claim 1, wherein the search interface
	20	supports disjunctive query semantics.
		1

The search and navigation system of claim 1, wherein the search interface 5. 21 supports cust \(\phi \) mized query semantics. 22

10

14

15

16

17

- 1 6. The search and navigation system of claim 1, wherein the search interface
 2 ignores stop words in the free-text query.
- 7. The search and navigation system of claim 1, wherein the search interface treats syntactically related words as equivalent.
- 5 8. The search and navigation system of claim 1, wherein the search interface 6 treats semantically related words as equivalent.
- 7 9. The search and navigation system of claim1, wherein the search interface 8 performs automatic spelling corrections.
 - 10. The search and navigation system of claim 1, wherein the search interface supports the specification of delimited phrases.
- 11. The search and navigation system of claim 1, wherein the search interface 12 supports constraining the set of search results to the subset of materials in the current 13 navigation state where the free-text query is accepted.
 - 12. The search and navigation system of claim 1, further including a profile for each of the materials in the set of materials, the profile including descriptive information, the free-text search tool enabling searching the descriptive information in the profiles.
- 18 13. The search and navigation system of claim 1, the search interface further including a full-text search tool for searching the set of materials.
- 20 14. /The search and navigation system of claim 1, wherein the set of search
 21 results is organized by attribute.

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

1	15.	The search and navigation sy	ystem of claim 1, wherein/the set of search
2	results further	r includes navigation options t	to the navigation states corresponding to th
3	set of search	results	

- 16. The search and navigation system of claim 1, further including a first inverted index relating words to attribute-value pairs and a second inverted index relating attribute-value pairs to materials.
- 17. The search and navigation system of claim 1, further comprising a navigation interface, the navigation interface including a guided navigation tool providing a set of navigation options from the current navigation state to other navigation states, each navigation option providing a direct path to one of the other navigation states.
 - 18. A search and navigation system for a set of materials, comprising: a plurality of attributes characterizing the materials;

a plurality of values describing the materials, wherein each of the values has an association with at least one of the attributes and each association defines an attribute-value pair;

a plurality of navigation states, wherein each navigation state corresponds to a particular expression of attribute-value pairs and to a particular subset of the materials; and

a search interface, the search interface including a free-text search tool for accepting free-text queries, the search interface being adapted to generate single-term and multi-term interpretations of free-text queries, a single-term interpretation including an attribute-value pair that corresponds to a navigation state, and a multi-term interpretation

- including a conjunction of attribute-value pairs that corresponds to a navigation state, the
- 2 search interface providing a display of a set of search results for a query, the set of search
- 3 results including single-term interpretations or multi-term interpretations or both.
- The search and navigation system of claim 1, wherein the multi-term
- 5 interpretations of the free-text query are minimal.
- 6 20. The search and navigation system of claim 18, wherein the search
- 7 interface supports conjunctive query semantics.
- 8 21. The search and navigation system of claim 18, wherein the search
- 9 interface supports disjunctive query semantics.
- The search and navigation system of claim 18, wherein the search
- 11 interface supports customized query semantios.
- 12 23. The search and navigation system of claim 18, wherein the search
- interface ignores stop words in the free-text query.
- 14 24. The search and navigation system of claim 18, wherein the search
- interface treats syntactically related words as equivalent.
- 16 25. The search and navigation system of claim 18, wherein the search
- interface treats semantically related words as equivalent.
- 18 26. The search and navigation system of claim 18, wherein the search interface
- 19 performs automatic spelling corrections.
- 20 27. The search and navigation system of claim 18, wherein the search
- 21 interface supports the specification of delimited phrases.

5

6

7

8

9

10

11

12

13

14

15

18

19

20

21

1	28.	The search and navigation system of claim 18, wherein the search
2	interface supp	ports constraining the set of search results to the subset of materials in the
3	current naviga	ation state where the free-text query is accepted.

- 29. The search and navigation system of claim 18, wherein the set of search results is organized by attribute.
- 30. The search and navigation system of claim 18, wherein the set of search results further includes navigation options to the navigation states corresponding to the set of search results.
- 31. The search and navigation system of claim 18, further including a first inverted index relating words to attribute-value pairs and a second inverted index relating attribute-value pairs to materials.
- 32. The search and navigation system of claim 18, further comprising a navigation interface, the navigation interface including a guided navigation tool providing a set of navigation options from the current navigation state to other navigation states, each navigation option providing a direct path to one of the other navigation states.
- 33. A search and navigation system for a set of materials, comprising:
 a plurality of attributes characterizing the materials;
 - a plurality of values describing the materials, wherein each of the values has an association with at least one of the attributes and each association defines an attribute-value pair, and wherein some of the attribute-value pairs refine other of the attribute-value pairs;

1	a plurality of navigation states, wherein each navigation state corresponds to a
2	particular expression of attribute-value pairs and to a particular subset of the materials;
3	a navigation interface, the interface providing a plurality of transitions, each
4	transition providing a direct path between two of the navigation states, wherein each
5	transition represents a change from the expression of attribute-value pairs corresponding
6	to an originating navigation state to the expression of attribute-value pairs corresponding
7	to a destination navigation state, wherein a series of one or more transitions provides a
8	path between any two navigation states, there being more than one path between at least a
9	first of the navigation states and a second of the navigation states; and
10	a search interface, the interface including a free-text search tool for accepting
11	free-text queries, the interface being adapted to generate multi-term interpretations for
12	free-text queries, a multi-term interpretation including a conjunction of attribute-value
13	pairs that corresponds to a navigation state, the interface providing a set of search results
14	including multi-term interpretations for a free-text query.
15	34. A method for enabling a user to search a set of materials, a plurality of
16	attributes characterizing the materials, a plurality of values describing the materials, each
17	of the values having an association with at least one of the attributes, each association
18	defining an attribute value pair, comprising the steps of:
19	defining a plurality of navigation states, each navigation state corresponding to a
20	particular expression of attribute-value pairs and to a particular subset of the materials;

receiving a free-text query;

1 ,	genera	ating a result set for the free-text query, including/computing multi-term
2	interpretation	s of the free-text query; and
3	provid	ling a display of the result set.
4	35.	The method of claim 34, wherein the multi-term interpretations are
5	minimal.	
6	36.	The method of claim 34, the step of generating the result set further
7	including con	nputing single-term interpretations of the free-text query.
8	37.	The method of claim 34, wherein the step of generating a result set uses
9	conjunctive q	uery semantics.
10	38.	The method of claim 34, wherein the step of generating a result set uses
11	disjunctive qu	nery semantics.
12	39.	The method of claim 34, wherein the step of generating a result set uses
13	partial match	query semantics.
14	40.	The method of claim 34, wherein the step of generating a result set treats
15	syntactically	related words as equivalent.
16	41.	The method of claim 34, wherein the step of generating a result set treats
17	semantically	related words as equivalent.
18	42.	A method determining results for a query including a plurality of words
19	directed to a	set of materials,, a plurality of attributes characterizing the materials, a
20	plurality of v	alues describing the materials, each of the values having an association with
21	at least one o	f the attributes, each association defining an attribute value pair, the
22	materials and	the attribute-value pairs defining navigation states, each navigation state

1	corresponding to a particular expression of attribute-value pairs and to a particular subset
2	of the materials, comprising the steps of:
3	computing the set of corresponding attribute value-pairs containing at least one of
4	the plurality of words;
5	computing the set of equivalence classes of the set of corresponding attribute-
6	value-pairs;
7	computing the set of minimal conjunctions of the equivalence classes; and
8	computing for each conjunction of the equivalence classes in the set of minimal
9	conjunctions the set of corresponding single-term or multi-term interpretations that
10	contain exactly one attribute-value pair from each equivalence class in the conjunction of
11	equivalence classes and that correspond to non-empty navigation states.
12	43. A computer program product/residing on a computer readable medium,
13	for use in searching a set of materials, in which the materials are characterized by a
14	plurality of attributes, and the materials are described by a plurality of values, each of the
15	values having an association with at least one of the attributes, each association defining
16	an attribute-value pair, and in which a plurality of navigation states are defined, each
17	navigation state corresponding to a particular expression of attribute-value pairs and to a
18	particular subset of the materials, the computer program product comprising instructions
19	for causing a computer to:
20	receive a free-text query;
21	generate single-term and multi-term interpretations of the query, a single term
22	interpretation including an attribute-value pair that corresponds to a navigation state, a

- 1 multi-term interpretation including a conjunction of attribute-value pairs that corresponds
- 2 to a navigation state;
- 3 return a set of search results for the query, the set of search results including
- 4 single-term interpretations or multi-term interpretations or both.